## Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A print distribution system in which plural printing apparatuses are connected over a network, and printed data created by a data processing apparatus used in a sender is distributed to plural distribution destinations, the print distribution system comprising:

an association information holding unit that holds in advance information indicating correspondences between plural distribution destinations and plural printing apparatuses used in the plural distribution destinations; and

a print setting management unit that collectively manages settings of print conditions of the plural printing apparatuses,

wherein, when a request to print out the printed data is outputted to the plural distribution destinations from the sender, the print setting management unit, on the basis of information held in the association information holding unit, locates plural printing apparatuses used in plural distribution destinations specified by the sender, sets the print conditions for the plural located printing apparatuses, and activates printout of the printed data.

- 2. (Original) The print distribution system according to claim 1, wherein the print setting management unit has a function for setting common print conditions for plural printing apparatuses used in the plural distribution destinations.
- 3. (Original) The print distribution system according to claim 1, wherein the print setting management unit has a function for selecting whether to set print conditions specific to each of the plural distribution destinations or to set print conditions common to plural printing apparatuses used in the plural distribution destinations.

- 4. (Original) The print distribution system according to claim 1, further including plural printed data creation apparatuses for creating printed data of the plural printing apparatuses and performing the printout.
  - 5. (Canceled)
- 6. (Previously Presented) The print distribution system according to claim 1, having a function that, when a request for the printout is issued from the sender, prevents an error detected in a specific printing apparatus of the plural printing apparatuses used in the plural distribution destinations from affecting the printout of other printing apparatuses.
- 7. (Previously Presented) The print distribution system according to claim 1, having a function that notifies the plural distribution destinations by mail at almost the same time that the printout has been started.
- 8. (Previously Presented) The print distribution system according to claim 1, having a function that, when an error is detected in a specific printing apparatus of the plural printing apparatuses used in the plural distribution destinations, notifies distribution destinations using the specific printing apparatus of contents of the error.
- 9. (Currently Amended) The print distribution system according to elaim 5,claim 12, having a function that, when printed data to be respectively distributed to plural distribution destinations is printed out in one printing apparatus, in order to avoid confusion of the printed data, creates additional information for each of the plural distribution destinations on the basis of information containing the sender name, the printed data creation apparatus names, and the mail addresses registered in the database.
- 10. (Previously Presented) A computer-readable medium that instructs a computer to execute:

a part that holds in advance information indicating correspondences between plural distribution destinations and plural printing apparatuses on a network used in the plural distribution destinations;

a part that, when a request to print out printed data created in a sender is outputted to the plural distribution destinations from the sender, on the basis of the information held in advance, locates plural printing apparatuses used in plural distribution destinations specified by the sender, and sets print conditions of the plural printing apparatuses for the plural located printing apparatuses; and

a part that activates the plural located printing apparatuses to print out the printed data according to the set print conditions.

11. (Previously Presented) A print distribution system comprising:

an association information holding unit that holds association information, the association information being adapted to associate information of a distribution destination with information of a printing apparatus;

a print setting management unit that manages settings of a print condition of the printing apparatus, the print setting management unit being adapted to locate the printing apparatus based on the association information and set the print condition when a request to print out printed data is outputted to the distribution destination from a sender,

wherein the information of the distribution destination has information of a user who uses the printing apparatus associated by the association information holding unit.

12. (New) A print distribution system in which plural printing apparatuses are connected over a network, and printed data created by a data processing apparatus used in a sender is distributed to plural distribution destinations, the print distribution system comprising:

an association information holding unit that holds in advance information indicating correspondences between plural distribution destinations and plural printing apparatuses used in the plural distribution destinations; and

a print setting management unit that collectively manages settings of print conditions of the plural printing apparatuses,

wherein, when a request to print out the printed data is outputted to the plural distribution destinations from the sender, the print setting management unit, on the basis of information held in the association information holding unit, locates plural printing apparatuses used in plural distribution destinations specified by the sender, sets the print conditions for the plural located printing apparatuses, and activates printout of the printed data, and

wherein the association information holding unit comprises a database recording information containing at least a sender name of the printed data, a printed data creation apparatus name corresponding to each of the plural printing apparatuses used in the plural distribution destinations, and respective mail addresses of the plural distribution destinations.